

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

| | |
|-------------------------|----------------------------------|
| Company name: | AnalytiChem GmbH |
| | ACD |
| Street: | Stempelstraße 6 |
| Place: | D-47167 Duisburg |
| Telephone: | 0203/5194-0 |
| E-mail: | info@analytichem.de |
| Contact person: | Abteilung Produktsicherheit |
| E-mail: | produktsicherheit@analytichem.de |
| Internet: | www.analytichem.de |
| Responsible Department: | Abteilung Produktsicherheit |

Telefax: 0203/5194-290

Telephone: 0203/5194-107/117

1.4. Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTRAC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008**

Signal word: Warning

Pictograms:

**Hazard statements**

H290 May be corrosive to metals.

Precautionary statements

| | |
|------|--|
| P234 | Keep only in original packaging. |
| P390 | Absorb spillage to prevent material damage. |
| P406 | Store in a corrosion-resistant container with a resistant inner liner. |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 2 of 11

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|-----------|---|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 7664-93-9 | sulphuric acid | | | 1 - < 5 % |
| | 231-639-5 | 016-020-00-8 | 01-2119458838-20 | |
| | Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|---|----------------|-----------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 7664-93-9 | 231-639-5 | sulphuric acid | 1 - < 5 % |
| | oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15 | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

4.3. Indication of any immediate medical attention and special treatment needed

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 3 of 11

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Sulphur oxides

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use.

When using do not eat, drink, smoke, sniff.

Handle and open container with care.

Use personal protection equipment.

Provide adequate ventilation.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

The product develops hydrogen in an aqueous solution in contact with metals.

Hints on joint storage

national regulations

Further information on storage conditions

Keep container tightly closed.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|-----------|----------------|-----|-------------------|---------------------|-----------|--------|
| 7664-93-9 | Sulphuric acid | - | 0.05 | | TWA (8 h) | |

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 5 of 11

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|------------------------|----------------|----------------|--------|------------------------|
| DNEL type | | | | |
| 7664-93-9 | sulphuric acid | | | |
| Worker DNEL, long-term | | inhalation | local | 0,05 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 0,1 mg/m ³ |

PNEC values

| CAS No | Substance | Value |
|--|----------------|-------------|
| Environmental compartment | | |
| 7664-93-9 | sulphuric acid | |
| Freshwater | | 0,003 mg/l |
| Marine water | | 0 mg/l |
| Freshwater sediment | | 0,002 mg/kg |
| Marine sediment | | 0,002 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 8,8 mg/l |

8.2. Exposure controls
Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment
Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 6 of 11

(e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------------|
| Physical state: | Liquid |
| Colour: | |
| Odour: | odourless |
| Odour threshold: | No data available |
| Melting point/freezing point: | No data available |
| Boiling point or initial boiling point and boiling range: | No data available |
| Flammability: | not applicable |
| Lower explosion limits: | No data available |
| Upper explosion limits: | No data available |
| Flash point: | X |
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| pH-Value: | acidic |
| Viscosity / kinematic: | No data available |
| Solubility in other solvents | |
| not determined | |
| Dissolution rate: | No data available |
| Partition coefficient n-octanol/water: | No data available |
| Dispersion stability: | No data available |
| Vapour pressure: | No data available |
| Vapour pressure: | No data available |
| Density: | 1,01736 g/cm ³ |
| Relative density: | No data available |
| Bulk density: | No data available |
| Relative vapour density: | No data available |
| Particle characteristics: | No data available |

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustaining combustion:

No data available

Self-ignition temperature

Solid:

not applicable

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 7 of 11

Gas: not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: 0

Solid content: 0

Sublimation point: No data available

Softening point: No data available

Pour point: No data available

No data available: No data available

Viscosity / dynamic: No data available

Flow time: No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicokinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 8 of 11

| CAS No | Chemical name | | | | | |
|-----------|----------------|---------------|-------------|---|---|--|
| | Exposure route | Dose | Species | Source | Method | |
| 7664-93-9 | sulphuric acid | | | | | |
| | oral | LD50 mg/kg | 2140 Rat | Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5): | The study was performed as part of a series | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the preparation/mixture itself.

Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

Additional information on tests

There are no data available on the preparation/mixture itself.

Practical experience

There are no data available on the preparation/mixture itself.

11.2. Information on other hazards
Other information

There are no data available on the preparation/mixture itself.

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information
12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|-----------|--------------------------|---------------|---------------|----------------------------|---|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 7664-93-9 | sulphuric acid | | | | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 72 h | Desmodesmus subspicatus | Study report (2009) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | > 100 48 h | Daphnia magna | Study report (2009) | OECD Guideline 202 |
| | Fish toxicity | NOEC mg/l | 0,025 65 d | Jordanella floridae | Water Research Vol. 11, 612 - 626, 1977 | Groups of sexually mature flagfish |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 9 of 11

12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

12.3. Bioaccumulative potential

There are no data available on the preparation/mixture itself.

12.4. Mobility in soil

There are no data available on the preparation/mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8

Classification code:

C1

Special Provisions:

274

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

Inland waterways transport (ADN)

14.1. UN number or ID number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 10 of 11

| | |
|----------------------|-----|
| Classification code: | C1 |
| Special Provisions: | 274 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |

Marine transport (IMDG)

| | |
|--|--|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Special Provisions: | 223, 274 |
| Limited quantity: | 5 L |
| Excepted quantity: | E1 |
| EmS: | F-A, S-B |
| Segregation group: | 1 - acids |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| 14.1. UN number or ID number: | UN 3264 |
| 14.2. UN proper shipping name: | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid) |
| 14.3. Transport hazard class(es): | 8 |
| 14.4. Packing group: | III |
| Hazard label: | 8 |
| Special Provisions: | A3 A803 |
| Limited quantity Passenger: | 1 L |
| Passenger LQ: | Y841 |
| Excepted quantity: | E1 |
| IATA-packing instructions - Passenger: | 852 |
| IATA-max. quantity - Passenger: | 5 L |
| IATA-packing instructions - Cargo: | 856 |
| IATA-max. quantity - Cargo: | 60 L |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

| | |
|--------------------------|--|
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). |
| Water hazard class (D): | 1 - slightly hazardous to water |

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Ammoniumeisen(II)-sulfatlösung 20 g/l angesäuert

Revision date: 05.02.2025

Product code: 22640

Page 11 of 11

This data sheet contains changes from the previous version in section(s): 1,3,4,5,6,7,8,9,10,11,12,13,14,15.

Abbreviations and acronyms

Met. Corr: Substance or mixture corrosive to metals

Skin Corr: Skin corrosion

Eye Dam: Eye damage

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Met. Corr. 1; H290 | On basis of test data |

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)