

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6

Place: D-47167 Duisburg

Telephone: 0203/5194-0

Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit

Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone**number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements**Regulation (EC) No 1272/2008****Special labelling of certain mixtures**

EUH210

Safety data sheet available on request.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

according to Regulation (EC) No 1907/2006

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 2 of 10

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|---------|---|--------------|------------------|-----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 64-19-7 | acetic acid | | | 1 - < 5 % |
| | 200-580-7 | 607-002-00-6 | 01-2119475328-30 | |
| | Flam. Liq. 3, Skin Corr. 1A, Eye Dam. 1; H226 H314 H318 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|---------|--|--|-----------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 64-19-7 | 200-580-7 | acetic acid | 1 - < 5 % |
| | oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide, Carbon monoxide

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 3 of 10

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Handle and open container with care.

Keep container tightly closed.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 4 of 10

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits**

| CAS No | Substance | ppm | mg/m ³ | fib/cm ³ | Category | Origin |
|---------|-------------|-----|-------------------|---------------------|---------------|--------|
| 64-19-7 | Acetic acid | 10 | 25 | | TWA (8 h) | |
| | | 20 | 50 | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|-------------|----------------|--------|----------------------|
| 64-19-7 | acetic acid | | | |
| Worker DNEL, long-term | | inhalation | local | 25 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 25 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 25 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 25 mg/m ³ |

PNEC values

| CAS No | Substance | Value |
|--|-------------|-------------|
| Environmental compartment | | |
| 64-19-7 | acetic acid | |
| Freshwater | | 3,058 mg/l |
| Freshwater (intermittent releases) | | 30,58 mg/l |
| Marine water | | 0,306 mg/l |
| Freshwater sediment | | 11,36 mg/kg |
| Marine sediment | | 1,136 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 85 mg/l |
| Soil | | 0,47 mg/kg |

8.2. Exposure controls**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment**Eye/face protection**

goggles

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 5 of 10

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: >480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet (>, <) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|---|-------------------|
| Physical state: | Liquid |
| Colour: | clear |
| Odour: | characteristic |
| Melting point/freezing point: | No data available |
| Boiling point or initial boiling point and boiling range: | No data available |
| Flammability: | No data available |
| Lower explosion limits: | No data available |
| Upper explosion limits: | No data available |
| Flash point: | No data available |
| Auto-ignition temperature: | No data available |
| Decomposition temperature: | No data available |
| pH-Value: | acidic |
| Viscosity / kinematic: | No data available |
| Water solubility: | No data available |
| Solubility in other solvents | |
| No data available | |
| Partition coefficient n-octanol/water: | No data available |
| Vapour pressure: | No data available |
| Vapour pressure: | No data available |
| Density: | No data available |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 6 of 10

Bulk density: No data available

Relative vapour density: No data available

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

No data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

No data available

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 7 of 10

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|---------|----------------|---------------|---------|--------|---|
| | Exposure route | Dose | Species | Source | Method |
| 64-19-7 | acetic acid | | | | |
| | oral | LD50 mg/kg | 3310 | Rat | J Ind Hyg Toxicol, Vol 23, PP 78-82 (194) |
| | | | | | The sodium salt of acetic acid was admin |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

No data available

Practical experience

No data available

11.2. Information on other hazards**Other information**

No data available

Further information

No data available

SECTION 12: Ecological information**12.1. Toxicity**

Based on available data, the classification criteria are not met.

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 8 of 10

| CAS No | Chemical name | | | | | |
|---------|--------------------------|---------------|-----------|---------|----------------------|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 64-19-7 | acetic acid | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 1000 | 96 h | Oncorhynchus mykiss | Study report (2005) other: SOP E257 |
| | Acute algae toxicity | ErC50 mg/l | > 1000 | 72 h | Skeletonema costatum | Study report (2005) ISO 10253 |
| | Acute crustacea toxicity | EC50 mg/l | > 1000 | 48 h | Daphnia magna | Study report (1990) OECD Guideline 202 |

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|---------------|---------|
| 64-19-7 | acetic acid | -0,17 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|---------|---------------|------|---------|----------------------|
| 64-19-7 | acetic acid | 3,16 | fish | Environ. Toxicol. Ch |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

No data available

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 9 of 10

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|--|--|
| 14.1. UN number or ID number: | No dangerous good in sense of this transport regulation. |
| 14.2. UN proper shipping name: | No dangerous good in sense of this transport regulation. |
| 14.3. Transport hazard class(es): | No dangerous good in sense of this transport regulation. |
| 14.4. Packing group: | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Restrictions on use (REACH, annex XVII):
Entry 40, Entry 75**National regulatory information**

Water hazard class (D): - - non-hazardous to water

Additional information

No data available

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 12.

Abbreviations and acronymsFlam. Liq. 3: Flammable liquids, hazard category 3
Skin Corr. 1A: Skin corrosion, sub-category 1A
Eye Dam. 1: Serious eye damage, hazard category 1**Relevant H and EUH statements (number and full text)**H226 Flammable liquid and vapour.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
EUH210 Safety data sheet available on request.**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing,

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Acetic acid standard solution 8000 mg TOC /l CH₃COOH in water for TOC determination

Revision: 17.09.2025

Product code: 27578

Page 10 of 10

the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)