

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 1 of 14

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Potassium dichromate 0.334 mol/l

UFI: 519F-Q2DJ-M00K-U2VE

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Responsible Department: AnalytiChem  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

**1.4. Emergency telephone number:**

+44 20 3807 3798 (CHEMTREC)

**Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 2 of 14

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Carc. 1B; H350  
Muta. 1B; H340  
Repr. 1B; H360FD  
Acute Tox. 2; H330  
Acute Tox. 4; H302  
Skin Corr. 1B; H314  
Eye Dam. 1; H318  
Resp. Sens. 1; H334  
Skin Sens. 1; H317  
STOT SE 3; H335  
STOT RE 1; H372  
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008**

**Hazard components for labelling**  
potassium dichromate

**Signal word:** Danger

**Pictograms:**

**Hazard statements**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 3 of 14

**Special labelling**

Restricted to professional users.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7778-50-9	potassium dichromate			10 - < 15 %
	231-906-6	024-002-00-6	01-2119454792-32	
	Ox. Sol. 2, Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350 H340 H360FD H330 H301 H312 H314 H318 H334 H317 H372 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7778-50-9	231-906-6	potassium dichromate	10 - < 15 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 129,5 mg/kg STOT SE 3; H335: >= 5 - 100		

**Further Information**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: potassium dichromate

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: potassium dichromate

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Self-protection of the first aider

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 4 of 14

**After ingestion**

Rinse mouth immediately and drink plenty of water.  
Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant  
Cough  
Dyspnoea  
Allergic reactions  
Gastrointestinal complaints  
Pneumonia  
Spasms  
Circulatory collapse  
Unconsciousness  
Methaemoglobin formation  
Liver and kidney damage  
Vomiting

For chromium(VI), it is stated that chromium(VI) is highly toxic. It is absorbed through both the lungs and the gastrointestinal tract. Chromates/dichromates can act as strong oxidising agents, causing burns and ulcers on skin and mucous membranes as well as irritative symptoms in the upper respiratory tract. After the substance enters wounds, poorly healing ulcers appear. In sensitive individuals, the substance can easily lead to sensitisation and allergic reactions in the respiratory tract (risk of pneumonia!) and damage to the nasal mucosa (possibly septum perforation). After ingestion of the substance: severe discomfort in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), cramps, circulatory failure, loss of consciousness. Methaemoglobinaemia. After absorption, it can lead to liver and kidney damage. Chromium(VI) compounds in inhalable form have been clearly shown to be carcinogenic in animal studies. Lethal dose (human): 0.5 g.

Antidotes: chelating agents such as EDTA, DMPS (Demaval).

**4.3. Indication of any immediate medical attention and special treatment needed**

Antidotes: EDTA, DMPS (Demaval®)

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids  
Hazardous combustion products  
In case of fire may be liberated: Metal oxide smoke, toxic

**5.3. Advice for firefighters**

Do not inhale explosion and combustion gases.  
Avoid contact with skin, eyes and clothes.  
In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures**

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 5 of 14

**6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Consult an expert
- Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

- Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Collect in closed and suitable containers for disposal.
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

- Clean contaminated articles and floor according to the environmental legislation.

**Other information**

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

- Avoid exposure - obtain special instructions before use.
- Read label before use. Handle and open container with care.
- Do not breathe vapour/aerosol.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Use extractor hood (laboratory).
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

- Usual measures for fire prevention.

**Advice on general occupational hygiene**

- Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities
- Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 6 of 14

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

**Hints on joint storage**

Take national regulations into account.

**Further information on storage conditions**

Store in a dry place.

storage temperature +15°C - +25°C

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****PNEC values**

CAS No	Substance	
Environmental compartment		Value
7778-50-9	potassium dichromate	
Freshwater		0 mg/l
Freshwater (intermittent releases)		0 mg/l
Freshwater sediment		0,15 mg/kg
Marine sediment		0,15 mg/kg
Secondary poisoning		17000000 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,21 mg/l
Soil		0,035 mg/kg

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

goggles

Wear eye protection/face protection.

**Hand protection**

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 7 of 14

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): &gt; 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	red
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	not applicable
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value:	5,0
Viscosity / kinematic:	No data available
Water solubility:	completely miscible
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 20 °C):	1,07019 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 8 of 14

Particle characteristics: No data available

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

**Other safety characteristics**

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

No data available

Solid content:

No data available

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

No data available

Viscosity / dynamic:

No data available

Flow time:

No data available

**Further Information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

Heat

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 9 of 14

**Acute toxicity**

Fatal if inhaled.

Harmful if swallowed.

Avoid exposure - obtain special instructions before use.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Inhalation effect: Damage to the respiratory tract.

**ATEmix calculated**

ATE (oral) 1282 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) 4,950 mg/l; ATE (inhalation dust/mist) 0,4950 mg/l

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
7778-50-9	potassium dichromate					
	oral	LD50 mg/kg	129,5	Rat	Study report (1983)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1983)	OECD Guideline 402
	inhalation vapour	ATE	0,5 mg/l			
	inhalation dust/mist	ATE	0,05 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Causes skin irritation.

Causes eye irritation.

**Sensitising effects**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (potassium dichromate)

May cause an allergic skin reaction. (potassium dichromate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer. (potassium dichromate)

May cause genetic defects. (potassium dichromate)

May damage fertility. May damage the unborn child. (potassium dichromate)

**STOT-single exposure**

May cause respiratory irritation. (potassium dichromate)

**STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure. (potassium dichromate)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards****Endocrine disrupting properties**

There are no data available on the mixture itself.

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 10 of 14

**Other information**

There are no data available on the mixture itself.

**Further information**

Irritant  
Cough  
Dyspnoea  
Allergic reactions  
Gastrointestinal complaints  
Pneumonia  
Spasms  
Circulatory collapse  
Unconsciousness  
Methaemoglobin formation  
Liver and kidney damage  
Vomiting

For chromium(VI), it is stated that chromium(VI) is highly toxic. It is absorbed through both the lungs and the gastrointestinal tract. Chromates/dichromates can act as strong oxidising agents, causing burns and ulcers on skin and mucous membranes as well as irritative symptoms in the upper respiratory tract. After the substance enters wounds, poorly healing ulcers appear. In sensitive individuals, the substance can easily lead to sensitisation and allergic reactions in the respiratory tract (risk of pneumonia!) and damage to the nasal mucosa (possibly septum perforation). After ingestion of the substance: severe discomfort in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), cramps, circulatory failure, loss of consciousness. Methaemoglobin formation. After absorption, it can lead to liver and kidney damage. Chromium(VI) compounds in inhalable form have been clearly shown to be carcinogenic in animal studies. Lethal dose (human): 0.5 g.

Antidotes: chelating agents such as EDTA, DMPS (Demaval).

**SECTION 12: Ecological information****12.1. Toxicity**

Toxic to aquatic life with long lasting effects.

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 11 of 14

Send to a physico-chemical treatment facility under observation of official regulations .

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 3287
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, INORGANIC, N.O.S. (potassium dichromate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1
Classification code:	T4
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	2
Hazard No:	60
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 3287
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, INORGANIC, N.O.S. (potassium dichromate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1
Classification code:	T4
Special Provisions:	274 802
Limited quantity:	5 L
Excepted quantity:	E1

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 3287
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, INORGANIC, N.O.S. (potassium dichromate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-A

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 3287
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, INORGANIC, N.O.S. (potassium dichromate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	III
Hazard label:	6.1
Special Provisions:	A3 A4 A137
Limited quantity Passenger:	2 L
Passenger LQ:	Y642

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 12 of 14

Excepted quantity:	E1
IATA-packing instructions - Passenger:	655
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	663
IATA-max. quantity - Cargo:	220 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	potassium dichromate

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**Authorisations (REACH, annex XIV):  
potassium dichromateRestrictions on use (REACH, annex XVII):  
Entry 3, Entry 29, Entry 75Information according to Directive 2012/18/EU (SEVESO III):  
Additional information: E2**National regulatory information**Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.  
Water hazard class (D): 3 - highly hazardous to water**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,9,12.

## Potassium dichromate 0.334 mol/l

Revision: 24.09.2024

Product code: AC15.01272

Page 13 of 14

## Abbreviations and acronyms

Ox. Sol. 2: Oxidising solids, hazard category 2  
Acute Tox. 2: Acute toxicity, hazard category 2  
Acute Tox. 3: Acute toxicity, hazard category 3  
Acute Tox. 4: Acute toxicity, hazard category 4  
Skin Corr. 1B: Skin corrosion, sub-category 1B  
Eye Dam. 1: Serious eye damage, hazard category 1  
Resp. Sens. 1: Respiratory sensitisation, hazard category 1  
Skin Sens. 1: Skin sensitisation, hazard category 1  
Muta. 1B: Germ cell mutagenicity, hazard category 1B  
Carc. 1B: Carcinogenicity, hazard category 1B  
Repr. 1B: Reproductive toxicity, hazard category 1B  
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3  
STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1  
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1  
Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2

## Classification for mixtures and used evaluation method

Classification	Classification procedure
Carc. 1B; H350	Calculation method
Muta. 1B; H340	Calculation method
Repr. 1B; H360FD	Calculation method
Acute Tox. 2; H330	Calculation method
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
STOT RE 1; H372	Calculation method
Aquatic Chronic 2; H411	Calculation method

## Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Potassium dichromate 0.334 mol/l**

Revision: 24.09.2024

Product code: AC15.01272

Page 14 of 14

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*