

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Potassium peroxodisulfate 50 g/L

UFI: Q81Y-E1AD-W008-13T4

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

#### Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

#### Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: P-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

#### Supplier or manufacturer details

Company name: AnalytiChem GmbH  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
E-mail: info@analytichem.de  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.de  
Responsible Department: AnalytiChem  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+353 1 901 4670 (CHEMTREC)

### 1.4. Emergency telephone number:

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Potassium peroxodisulfate 50 g/L**

Revision: 26.02.2025

Product code: AC15.02945

Page 2 of 13

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Resp. Sens. 1; H334

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

potassium persulphate

**Signal word:** Danger**Pictograms:****Hazard statements**

H290	May be corrosive to metals.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Precautionary statements**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P284	Wear respiratory protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 3 of 13

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7727-21-1	potassium persulphate			1 - < 5 %
	231-781-8	016-061-00-1	01-2119495676-19	
	Ox. Sol. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Resp. Sens. 1, Skin Sens. 1, STOT SE 3; H272 H302 H315 H319 H334 H317 H335			
7664-93-9	sulphuric acid			1 - < 5 %
	231-639-5	016-020-00-8	01-2119458838-20	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1; H290 H314 H318			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7727-21-1	231-781-8	potassium persulphate	1 - < 5 %
	inhalation: LC50 = >= 2,95 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 742 mg/kg		
7664-93-9	231-639-5	sulphuric acid	1 - < 5 %
	oral: LD50 = 2140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye Irrit. 2; H319: >= 5 - < 15		

## Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

No data available

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 4 of 13

Allergic reactions

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### **Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

#### **Unsuitable extinguishing media**

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Sulphur oxides

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Corrosive to metals.

#### **For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### **For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### **For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### **For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 5 of 13

#### Other information

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Use personal protection equipment.  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
Do not breathe vapour/aerosol.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Corrosive to metals.  
Unsuitable container/equipment material: Metal  
The product develops hydrogen in an aqueous solution in contact with metals.

#### Hints on joint storage

national regulations

#### Further information on storage conditions

Keep container tightly closed.

### 7.3. Specific end use(s)

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7727-21-1	Persulphate salts, inorganic; Potassium persulphate	-	0.1		TWA (8 h)	
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 6 of 13

## DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7727-21-1	potassium persulphate			
Worker DNEL, long-term		inhalation	systemic	2,06 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	systemic	590 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	2,06 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	18,2 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	400 mg/kg bw/day
Worker DNEL, long-term		dermal	local	0,102 mg/cm <sup>2</sup>
Worker DNEL, acute		dermal	local	2,248 mg/cm <sup>2</sup>
Consumer DNEL, long-term		inhalation	systemic	1,03 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	295 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	1,03 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	295 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	9,1 mg/kg bw/day
Consumer DNEL, acute		dermal	systemic	200 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	0,051 mg/cm <sup>2</sup>
Consumer DNEL, acute		dermal	local	1,124 mg/cm <sup>2</sup>
Consumer DNEL, long-term		oral	systemic	9,1 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	30 mg/kg bw/day
7664-93-9	sulphuric acid			
Worker DNEL, long-term		inhalation	local	0,05 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	0,1 mg/m <sup>3</sup>

## PNEC values

CAS No	Substance			
Environmental compartment				Value
7727-21-1	potassium persulphate			
Freshwater				0,076 mg/l
Freshwater (intermittent releases)				0,763 mg/l
Marine water				0,011 mg/l
Freshwater sediment				0,275 mg/kg
Marine sediment				0,04 mg/kg
Micro-organisms in sewage treatment plants (STP)				3,6 mg/l
Soil				0,015 mg/kg
7664-93-9	sulphuric acid			
Freshwater				0,003 mg/l
Marine water				0 mg/l
Freshwater sediment				0,002 mg/kg
Marine sediment				0,002 mg/kg
Micro-organisms in sewage treatment plants (STP)				8,8 mg/l

## 8.2. Exposure controls

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 7 of 13

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

Wear eye/face protection.

##### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

##### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

##### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

##### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Flammability:	No data available
Lower explosion limits:	No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 8 of 13

Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value:	0,7
Viscosity / kinematic:	No data available
Water solubility:	completely miscible
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,06051 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

    No data available

##### Sustained combustibility:

No data available

##### Self-ignition temperature

    Solid:

No data available

    Gas:

No data available

##### Oxidizing properties

    Oxidizing

#### Other safety characteristics

##### Evaporation rate:

No data available

##### Solvent separation test:

No data available

##### Solvent content:

No data available

##### Solid content:

No data available

##### Sublimation point:

No data available

##### Softening point:

No data available

##### Pour point:

No data available

##### No data available:

No data available

##### Viscosity / dynamic:

No data available

##### Flow time:

No data available

### **Further Information**

Corrosive to metals.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 9 of 13

Alkali (lye)

#### **10.4. Conditions to avoid**

No data available

#### **10.5. Incompatible materials**

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

#### **10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

#### **Further information**

No data available

## SECTION 11: Toxicological information

### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

#### **Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7727-21-1	potassium persulphate				
	oral	LD50 mg/kg	742	Rat	Study report (2001) EPA OPPTS 870.1100
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1991) EPA OPP 81-2
	inhalation (4 h) dust/mist	LC50 mg/l	>= 2,95	Rat	Study report (1989) EPA OPP 81-3
7664-93-9	sulphuric acid				
	oral	LD50 mg/kg	2140	Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5): The study was performed as part of a ser

#### **Irritation and corrosivity**

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

#### **Sensitising effects**

May cause allergy or asthma symptoms or breathing difficulties if inhaled. (potassium persulphate)

May cause an allergic skin reaction. (potassium persulphate)

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 10 of 13

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### Practical experience

There are no data available on the mixture itself.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

There are no data available on the mixture itself.

#### Other information

There are no data available on the mixture itself.

#### Further information

There are no data available on the mixture itself.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7727-21-1	potassium persulphate					
	Acute fish toxicity	LC50 mg/l	76,3 96 h	Oncorhynchus mykiss	Study report (1993)	other: FIFRA Guideline 72-1 of the Pesti
	Acute algae toxicity	ErC50 mg/l	136 mg/l 72 h	Phaeodactylum tricornutum	Study report	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	120 mg/l 48 h	Daphnia magna	Study report (1993)	other: FIFRA Guideline 72-2 of the Pesti
7664-93-9	sulphuric acid					
	Acute algae toxicity	ErC50 mg/l	> 100 72 h	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100 48 h	Daphnia magna	Study report (2009)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,025 65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 11 of 13

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

#### **Further information**

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

##### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## SECTION 14: Transport information

#### **Land transport (ADR/RID)**

##### 14.1. UN number or ID number:

UN 3264

##### 14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

##### 14.3. Transport hazard class(es):

8

##### 14.4. Packing group:

III

Hazard label:

8

Classification code:

C1

Special Provisions:

274

Limited quantity:

5 L

Excepted quantity:

E1

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

#### **Inland waterways transport (ADN)**

##### 14.1. UN number or ID number:

UN 3264

##### 14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

##### 14.3. Transport hazard class(es):

8

##### 14.4. Packing group:

III

Hazard label:

8

Classification code:

C1

Special Provisions:

274

Limited quantity:

5 L

Excepted quantity:

E1

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 12 of 13

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 3264
<b>14.2. UN proper shipping name:</b>	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

## SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 12.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium peroxodisulfate 50 g/L

Revision: 26.02.2025

Product code: AC15.02945

Page 13 of 13

#### Abbreviations and acronyms

Ox. Sol. 3: Oxidising solids, hazard category 3  
Met. Corr. 1: Corrosive to metals, hazard category 1  
Acute Tox. 4: Acute toxicity, hazard category 4  
Skin Corr. 1A: Skin corrosion, sub-category 1A  
Skin Irrit. 2: Skin irritation, hazard category 2  
Eye Dam. 1: Serious eye damage, hazard category 1  
Eye Irrit. 2: Eye irritation, hazard category 2  
Resp. Sens. 1: Respiratory sensitisation, hazard category 1  
Skin Sens. 1: Skin sensitisation, hazard category 1  
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Resp. Sens. 1; H334	Calculation method
Skin Sens. 1; H317	Calculation method

#### Relevant H and EUH statements (number and full text)

H272 May intensify fire; oxidiser.  
H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*