

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 1 of 12

**1. Identification**
**Product identifier**

CONOSTAN Metals in Crude Oil

**Recommended use of the chemical and restrictions on use**
**Use of the substance/mixture**

 Reagents and laboratory chemicals  
 Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**Details of the supplier of the safety data sheet**
**Details of the supplier of the safety data sheet**

Company name:	AnalytiChem Services, Unipessoal, Lda
Street:	Rua de Júlio Dinis 676 7º
Place:	P-4050-320 Porto
Telephone:	+351 226002917
E-mail:	info@analytichem.com
Contact person:	SDS service department
E-mail:	SDS@analytichem.com
Internet:	www.analytichem.com
Responsible Department:	SDS service department

**Supplier or manufacturer details**

Company name:	AnalytiChem Canada Inc.	
	Québec, CANADA	
Street:	21800 Clark Graham Ave	
Place:	CDN-H9X 4B6 Baie-D'Urfé	
Telephone:	+1 (800) 361-6820	Telefax: +1 (800) 253-5549
E-mail:	info@analytichem.com	
Contact person:	SDS service department	
E-mail:	SDS@analytichem.com	
Internet:	www.analytichem.com	
Responsible Department:	AnalytiChem:	
	EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20	
	EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200	
	EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848	
	UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500	
	USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378	
	Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701	
	Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333	
<b>Emergency phone number:</b>	+1 703-741-5970 (CHEMTREC)	

**Further Information**

No data available

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 2 of 12

**2. Hazard(s) identification**

**Classification of the chemical**

**Regulation (EC) No 1272/2008**

Carc. 1B; H350  
 Asp. Tox. 1; H304  
 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**Label elements**

**Regulation (EC) No 1272/2008**

**Hazard components for labelling**

"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"  
 "Petroleum; Crude oil"

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H304 May be fatal if swallowed and enters airways  
 H350 May cause cancer  
 H412 Harmful to aquatic life with long lasting effects

**Precautionary statements**

P201 Obtain special instructions before use.  
 P280 Wear protective gloves/protective clothing and eye protection/face protection.  
 P301+P310 If swallowed: Immediately call a poison center/doctor.  
 P308+P313 If exposed or concerned: Get medical advice/attention.  
 P331 Do NOT induce vomiting.  
 P501 Dispose of contents/container to an appropriate recycling or disposal facility.

**Special labeling**

Restricted to professional users.

**Hazards not otherwise classified**

No data available

**3. Composition/information on ingredients**

**Mixtures**

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 3 of 12

**Relevant ingredients**

CAS No	Components			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"			45 - < 50 %
	265-149-8	649-422-00-2		
	Asp. Tox. 1; H304			
8002-05-9	"Petroleum; Crude oil"			5 - < 10 %
	232-298-5	649-049-00-5		
	Flam. Liq. 1, Carc. 1B, Eye Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 2; H224 H350 H319 H336 H373 H304 H411			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Components	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-47-8	265-149-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"	45 - < 50 %
	inhalation: LC50 = > 5,28 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg		

**Further Information**

No data available

**4. First-aid measures**
**Description of first aid measures**
**General information**

Self-protection of the first aider

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water, Soap

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

**After ingestion**

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

**Most important symptoms and effects, both acute and delayed**

Gastrointestinal complaints

Pneumonia

Vapors may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

Headache

**Indication of any immediate medical attention and special treatment needed**

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 4 of 12

Aspiration hazard

**5. Fire-fighting measures**

**Extinguishing media**

**Suitable extinguishing media**

- Foam
- Carbon dioxide (CO2)
- Extinguishing powder
- Water

**Unsuitable extinguishing media**

no restriction

**Specific hazards arising from the chemical**

- Combustible liquids
- Vapors are heavier than air, spread along floors and form explosive mixtures with air.
- Hazardous combustion products
- In case of fire may be liberated:
- Carbon dioxide (CO2)
- Carbon monoxide

**Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Use water spray jet to protect personnel and to cool endangered containers.
- Move undamaged containers from immediate hazard area if it can be done safely.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**General advice**

- Vapors are heavier than air, spread along floors and form explosive mixtures with air.
- Keep away from sources of ignition - No smoking.
- Take precautionary measures against static discharges.

**For non-emergency personnel**

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Consult an expert
- Do not breathe dust/fume/gas/mist/vapors/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment (PPE): see section 8

**Environmental precautions**

Do not allow to enter into surface water or drains.

**Methods and material for containment and cleaning up**

**For containment**

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
- Collect in closed and suitable containers for disposal.

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 5 of 12

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wear breathing apparatus if exposed to vapors/dusts/aerosols.

**Reference to other sections**

- Safe handling: see section 7
- Personal protection equipment (PPE): see section 8
- Disposal: see section 13

**7. Handling and storage**

**Precautions for safe handling**

**Advice on safe handling**

- Use extractor hood (laboratory).
- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Do not breathe vapor or spray.
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Take precautionary measures against static discharges.
- Vapors are heavier than air, spread along floors and form explosive mixtures with air.

**Advice on general occupational hygiene**

- Keep away from food, drink and animal feedingstuffs.
- The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

**Further information on handling**

- Take off immediately all contaminated clothing and wash it before reuse.
- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

- Store in a place accessible by authorized persons only.
- Keep container tightly closed.
- Protect against: Radiant heat.

**Hints on joint storage**

- National regulations

**Further information on storage conditions**

- Keep cool. Protect from sunlight.

**Specific end use(s)**

- Laboratory chemicals
- Only for laboratory and analysis purposes.

**8. Exposure controls/personal protection**

**Control parameters**

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 6 of 12

**Exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	Category	Origin
-	Mineral oil, excluding metal working fluids (inhalable fraction); Pure, highly and severely refined		5	TWA (8 h)	ACGIH-2025
8012-95-1	Oil mist (mineral)	-	5	TWA (8 h)	REL
		-	10	STEL (15 min)	REL
8012-95-1	Oil mist, mineral	-	5	TWA (8 h)	REL
8002-05-9	Petroleum distillates (naphtha)	-	350	TWA (8 h)	REL
		-	C 1800	15 min	REL

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
8042-47-5	White mineral oil, petroleum			
Worker DNEL, long-term		inhalation	systemic	160 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	220 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	35 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	93 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	40 mg/kg bw/day

**Additional advice on limit values**

Observe in addition any national regulations!

**Exposure controls**
**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment**
**Eye/face protection**

goggles

Face protection umbrella

**Hand protection**

Tested protective gloves must be worn

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. A respiratory protection program that meets OSHA's 29 CFR 1910.134 requirements must be followed whenever

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 7 of 12

workplace conditions warrant a respirator's use.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**9. Physical and chemical properties**

**Information on basic physical and chemical properties**

Physical state:	Liquid	
Color:	clear amber	
Odor:	characteristic	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		not determined (MSDS)
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapor pressure:		No data available
Vapor pressure:		No data available
Density:		No data available
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

**Other information**

**Information with regard to physical hazard classes**

**Explosive properties**

In case of warming:

Vapors are heavier than air, spread along floors and form explosive mixtures with air.

Sustained combustibility: No data available

**Self-ignition temperature**

Solid: No data available

Gas: No data available

**Oxidizing properties**

No data available

**Other safety characteristics**

Evaporation rate: No data available

Solvent separation test: No data available

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 8 of 12

Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
Viscosity / dynamic:	No data available
Flow time:	No data available

**Further Information**

No data available

**10. Stability and reactivity**

**Reactivity**

Vapours may form explosive mixtures with air.

**Chemical stability**

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Oxidising agent

**Conditions to avoid**

Heat, Radiant heat.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Incompatible materials**

No data available

**Hazardous decomposition products**

in case of fire, see:

SECTION 5: Fire fighting measures

**Further information**

No data available

**11. Toxicological information**

**Information on toxicological effects**

**Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 9 of 12

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1992)	EPA OTS 798.1175
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1992)	EPA OTS 798.1100
	inhalation (4 h) vapour	LC50 > 5,28 mg/l	Rat	Study report (1987)	OECD Guideline 403

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer ("Petroleum; Crude oil")

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways

**Route(s) of Entry**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

There is no reliable information on carcinogenicity, mutagenicity, target organ toxicity or developmental toxicity.

**Practical experience**

No data available

**Information on other hazards**

**Endocrine disrupting properties**

No data available

**Other information**

No data available

**Further information**

Gastrointestinal complaints

Pneumonia

Vapors may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

Headache

**12. Ecological information**

**Ecotoxicity**

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 10 of 12

Harmful to aquatic life with long lasting effects

CAS No	Components					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-47-8	"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"					
	Acute fish toxicity	LL50 mg/l	2 - 5	96 h	Oncorhynchus mykiss	Study report (1994) OECD Guideline 203
	Acute algae toxicity	ErC50	8,3 mg/l	72 h	Raphidocelis subcapitata	Study report (1995) OECD Guideline 201
	Acute crustacea toxicity	EL50	1,4 mg/l	48 h	Daphnia magna	Study report (1995) OECD Guideline 202

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

Do not allow to enter into surface water or drains.

**Further information**

Avoid release to the environment.

**13. Disposal considerations**
**Waste treatment methods**
**Disposal recommendations**

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**14. Transport information**
**Land transport (ADR/RID)**
**UN number or ID number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**
**UN number or ID number:**

No dangerous good in sense of this transport regulation.

**UN proper shipping name:**

No dangerous good in sense of this transport regulation.

**Transport hazard class(es):**

No dangerous good in sense of this transport regulation.

**Packing group:**

No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 11 of 12

**UN number or ID number:** No dangerous good in sense of this transport regulation.  
**UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

**UN number or ID number:** No dangerous good in sense of this transport regulation.  
**UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**Packing group:** No dangerous good in sense of this transport regulation.

**Special precautions for user**

No dangerous good in sense of this transport regulation.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

No dangerous good in sense of this transport regulation.

**15. Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40, Entry 75

Information according to Directive 2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

**16. Other information**

**Abbreviations and acronyms**

- Flam. Liq. 1: Flammable liquids, category 1
- Asp. Tox. 1: Aspiration hazard, category 1
- Eye Irrit. 2: Eye irritation, category 2
- Carc. 1B: Carcinogenicity, category 1B
- STOT SE 3: Specific target organ toxicity single exposure, category 3
- STOT RE 2: Specific target organ toxicity repeated exposure, category 2
- Aquatic Chronic 2: Chronic aquatic hazard, category 2
- Aquatic Chronic 3: Chronic aquatic hazard, category 3

**Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008**

Classification	Classification procedure
Carc. 1B; H350	Calculation method
Asp. Tox. 1; H304	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H statements (full text)**

- H224 Extremely flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H350 May cause cancer
- H373 May cause damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

**CONOSTAN Metals in Crude Oil**

Revision date: 06/14/2024

Product code: AC18.06146

Page 12 of 12

**Other data**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. Provide appropriate information, instructions and training to users.

**Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	PC21	-	-	21	15	-	-	-	
2	PROC15	-	-	-	15	-	-	-	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*