

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 1 of 12

1. Identification
Product identifier

CONOSTAN Metals in Crude Oil

Recommended use of the chemical and restrictions on use
Use of the substance/mixture

 Reagents and laboratory chemicals
 Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

Details of the supplier of the safety data sheet
Details of the supplier of the safety data sheet

| | |
|-------------------------|---------------------------------------|
| Company name: | AnalytiChem Services, Unipessoal, Lda |
| Street: | Rua de Júlio Dinis 676 7º |
| Place: | P-4050-320 Porto |
| Telephone: | +351 226002917 |
| E-mail: | info@analytichem.com |
| Contact person: | SDS service department |
| E-mail: | SDS@analytichem.com |
| Internet: | www.analytichem.com |
| Responsible Department: | SDS service department |

Supplier or manufacturer details

| | | |
|--------------------------------|--|----------------------------|
| Company name: | AnalytiChem Canada Inc. | |
| | Québec, CANADA | |
| Street: | 21800 Clark Graham Ave | |
| Place: | CDN-H9X 4B6 Baie-D'Urfé | |
| Telephone: | +1 (800) 361-6820 | Telefax: +1 (800) 253-5549 |
| E-mail: | info@analytichem.com | |
| Contact person: | SDS service department | |
| E-mail: | SDS@analytichem.com | |
| Internet: | www.analytichem.com | |
| Responsible Department: | AnalytiChem: | |
| | EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20 | |
| | EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200 | |
| | EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848 | |
| | UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500 | |
| | USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378 | |
| | Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701 | |
| | Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333 | |
| Emergency phone number: | +1 703-741-5970 (CHEMTREC) | |

Further Information

No data available

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 2 of 12

2. Hazard(s) identification

Classification of the chemical

Regulation (EC) No 1272/2008

Carc. 1B; H350
 Asp. Tox. 1; H304
 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

"Distillates (petroleum), hydro-treated light; Kerosine - unspecified"
 "Petroleum; Crude oil"

Signal word: Danger

Pictograms:



Hazard statements

H304 May be fatal if swallowed and enters airways
 H350 May cause cancer
 H412 Harmful to aquatic life with long lasting effects

Precautionary statements

P201 Obtain special instructions before use.
 P280 Wear protective gloves/protective clothing and eye protection/face protection.
 P301+P310 If swallowed: Immediately call a poison center/doctor.
 P308+P313 If exposed or concerned: Get medical advice/attention.
 P331 Do NOT induce vomiting.
 P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Special labeling

Restricted to professional users.

Hazards not otherwise classified

No data available

3. Composition/information on ingredients

Mixtures

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 3 of 12

Relevant ingredients

| CAS No | Components | | | Quantity |
|------------|--|--------------|----------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" | | | 45 - < 50 % |
| | 265-149-8 | 649-422-00-2 | | |
| | Asp. Tox. 1; H304 | | | |
| 8002-05-9 | "Petroleum; Crude oil" | | | 5 - < 10 % |
| | 232-298-5 | 649-049-00-5 | | |
| | Flam. Liq. 1, Carc. 1B, Eye Irrit. 2, STOT SE 3, STOT RE 2, Asp. Tox. 1, Aquatic Chronic 2; H224 H350 H319 H336 H373 H304 H411 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Components | Quantity |
|------------|--|--|-------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 64742-47-8 | 265-149-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" | 45 - < 50 % |
| | inhalation: LC50 = > 5,28 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg | | |

Further Information

No data available

4. First-aid measures
Description of first aid measures
General information

Self-protection of the first aider

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water, Soap

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting.

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Pneumonia

Vapors may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

Headache

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 4 of 12

Indication of any immediate medical attention and special treatment needed

Aspiration hazard

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

- Foam
- Carbon dioxide (CO2)
- Extinguishing powder
- Water

Unsuitable extinguishing media

no restriction

Specific hazards arising from the chemical

- Combustible liquids
- Vapors are heavier than air, spread along floors and form explosive mixtures with air.
- Hazardous combustion products
- In case of fire may be liberated:
- Carbon dioxide (CO2)
- Carbon monoxide

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
- Use water spray jet to protect personnel and to cool endangered containers.
- Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

- Vapors are heavier than air, spread along floors and form explosive mixtures with air.
- Keep away from sources of ignition - No smoking.
- Take precautionary measures against static discharges.

For non-emergency personnel

- Provide adequate ventilation.
- Use personal protection equipment.
- Avoid contact with skin, eyes and clothes.
- Remove persons to safety.
- Emergency procedures
- Consult an expert
- Do not breathe dust/fume/gas/mist/vapors/spray.

For emergency responders

Precautionary statements For emergency responders : Personal protection equipment (PPE): see section 8

Environmental precautions

Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

For containment

- Cover drains.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 5 of 12

Collect in closed and suitable containers for disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wear breathing apparatus if exposed to vapors/dusts/aerosols.

Reference to other sections

- Safe handling: see section 7
- Personal protection equipment (PPE): see section 8
- Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

- Use extractor hood (laboratory).
- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Do not breathe vapor or spray.
- Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Take precautionary measures against static discharges.
- Vapors are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

- Keep away from food, drink and animal feedingstuffs.
- The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of the protective agents should be clarified with their suppliers.

Further information on handling

- Take off immediately all contaminated clothing and wash it before reuse.
- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Store in a place accessible by authorized persons only.
- Keep container tightly closed.
- Protect against: Radiant heat.

Hints on joint storage

- National regulations

Further information on storage conditions

- Keep cool. Protect from sunlight.

Specific end use(s)

- Laboratory chemicals
- Only for laboratory and analysis purposes.

8. Exposure controls/personal protection

Control parameters

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 6 of 12

Exposure limits

| CAS No | Substance | ppm | mg/m ³ | Category | Origin |
|-----------|---|-----|-------------------|---------------|------------|
| - | Mineral oil, excluding metal working fluids (inhalable fraction); Pure, highly and severely refined | | 5 | TWA (8 h) | ACGIH-2025 |
| 8012-95-1 | Oil mist (mineral) | - | 5 | TWA (8 h) | REL |
| | | - | 10 | STEL (15 min) | REL |
| 8012-95-1 | Oil mist, mineral | - | 5 | TWA (8 h) | REL |
| 8002-05-9 | Petroleum distillates (naphtha) | - | 350 | TWA (8 h) | REL |
| | | - | C 1800 | 15 min | REL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|------------------------------|----------------|----------|-----------------------|
| 8042-47-5 | White mineral oil, petroleum | | | |
| Worker DNEL, long-term | | inhalation | systemic | 160 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 220 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 35 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 93 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 40 mg/kg bw/day |

Additional advice on limit values

Observe in addition any national regulations!

Exposure controls
Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment
Eye/face protection

goggles

Face protection umbrella

Hand protection

Tested protective gloves must be worn

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. A respiratory protection program that meets OSHA's 29 CFR 1910.134 requirements must be followed whenever

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 7 of 12

workplace conditions warrant a respirator's use.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties

Information on basic physical and chemical properties

| | | |
|---|-------------------|-------------------|
| Physical state: | Liquid | |
| Color: | clear amber | |
| Odor: | characteristic | |
| Odour threshold: | No data available | |
| Melting point/freezing point: | | No data available |
| Boiling point or initial boiling point and boiling range: | | No data available |
| Flammability: | | No data available |
| Lower explosion limits: | | No data available |
| Upper explosion limits: | | No data available |
| Flash point: | | No data available |
| Auto-ignition temperature: | | No data available |
| Decomposition temperature: | | No data available |
| pH-Value: | | No data available |
| Viscosity / kinematic: | | No data available |
| Water solubility: | | No data available |
| Solubility in other solvents | | |
| No data available | | |
| Dissolution rate: | | No data available |
| Partition coefficient n-octanol/water: | | No data available |
| Dispersion stability: | | No data available |
| Vapor pressure: | | No data available |
| Vapor pressure: | | No data available |
| Density: | | No data available |
| Relative density: | | No data available |
| Bulk density: | | No data available |
| Relative vapour density: | | No data available |
| Particle characteristics: | | No data available |

Other information

Information with regard to physical hazard classes

Explosive properties

In case of warming:

Vapors are heavier than air, spread along floors and form explosive mixtures with air.

Sustained combustibility: No data available

Self-ignition temperature

Solid: No data available

Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

Solvent separation test: No data available

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 8 of 12

| | |
|----------------------|-------------------|
| Solvent content: | No data available |
| Solid content: | No data available |
| Sublimation point: | No data available |
| Softening point: | No data available |
| Pour point: | No data available |
| Viscosity / dynamic: | No data available |
| Flow time: | No data available |

Further Information

No data available

10. Stability and reactivity

Reactivity

Vapours may form explosive mixtures with air.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Oxidising agent

Conditions to avoid

Heat, Radiant heat.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials

No data available

Hazardous decomposition products

in case of fire, see:

SECTION 5: Fire fighting measures

Further information

No data available

11. Toxicological information

Information on toxicological effects

Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 9 of 12

| CAS No | Components | | | | |
|------------|--|-------------------|---------|---------------------|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Study report (1992) | EPA OTS 798.1175 |
| | dermal | LD50 > 2000 mg/kg | Rabbit | Study report (1992) | EPA OTS 798.1100 |
| | inhalation (4 h) vapour | LC50 > 5,28 mg/l | Rat | Study report (1987) | OECD Guideline 403 |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer ("Petroleum; Crude oil")

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways

Route(s) of Entry

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

There is no reliable information on carcinogenicity, mutagenicity, target organ toxicity or developmental toxicity.

Practical experience

No data available

Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other information

No data available

Further information

Gastrointestinal complaints

Pneumonia

Vapors may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

Headache

12. Ecological information

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 10 of 12

Ecotoxicity

Harmful to aquatic life with long lasting effects

| CAS No | Components | | | | | |
|------------|--|--------------|-----------|---------|--------------------------|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 64742-47-8 | "Distillates (petroleum), hydro-treated light; Kerosine - unspecified" | | | | | |
| | Acute fish toxicity | LL50 mg/l | 2 - 5 | 96 h | Oncorhynchus mykiss | Study report (1994) OECD Guideline 203 |
| | Acute algae toxicity | ErC50 | 8,3 mg/l | 72 h | Raphidocelis subcapitata | Study report (1995) OECD Guideline 201 |
| | Acute crustacea toxicity | EL50 | 1,4 mg/l | 48 h | Daphnia magna | Study report (1995) OECD Guideline 202 |

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

13. Disposal considerations
Waste treatment methods
Disposal recommendations

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

14. Transport information
Land transport (ADR/RID)
UN number or ID number:

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)
UN number or ID number:

No dangerous good in sense of this transport regulation.

UN proper shipping name:

No dangerous good in sense of this transport regulation.

Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Packing group:

No dangerous good in sense of this transport regulation.

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 11 of 12

Marine transport (IMDG)

UN number or ID number: No dangerous good in sense of this transport regulation.
UN proper shipping name: No dangerous good in sense of this transport regulation.
Transport hazard class(es): No dangerous good in sense of this transport regulation.
Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: No dangerous good in sense of this transport regulation.
UN proper shipping name: No dangerous good in sense of this transport regulation.
Transport hazard class(es): No dangerous good in sense of this transport regulation.
Packing group: No dangerous good in sense of this transport regulation.

Special precautions for user

No dangerous good in sense of this transport regulation.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No dangerous good in sense of this transport regulation.

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
 Entry 3, Entry 28, Entry 40, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

16. Other information

Abbreviations and acronyms

- Flam. Liq. 1: Flammable liquids, category 1
- Asp. Tox. 1: Aspiration hazard, category 1
- Eye Irrit. 2: Eye irritation, category 2
- Carc. 1B: Carcinogenicity, category 1B
- STOT SE 3: Specific target organ toxicity single exposure, category 3
- STOT RE 2: Specific target organ toxicity repeated exposure, category 2
- Aquatic Chronic 2: Chronic aquatic hazard, category 2
- Aquatic Chronic 3: Chronic aquatic hazard, category 3

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Carc. 1B; H350 | Calculation method |
| Asp. Tox. 1; H304 | Calculation method |
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H statements (full text)

- H224 Extremely flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H319 Causes serious eye irritation
- H336 May cause drowsiness or dizziness
- H350 May cause cancer
- H373 May cause damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

CONOSTAN Metals in Crude Oil

Revision date: 11/27/2024

Product code: AC18.06148

Page 12 of 12

Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users.

Identified uses

| No | Short title | LCS | SU | PC | PROC | ERC | AC | TF | Specification |
|----|-------------|-----|----|----|------|-----|----|----|---------------|
| 1 | PC21 | - | - | 21 | 15 | - | - | - | |
| 2 | PROC15 | - | - | - | 15 | - | - | - | |

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)